

UNIVERSAL ACCESS TABLE - WUT Series (Catalog Page 20)


Patented wheelchair accessible table design with access at both ends and full length seats.
1-5/8" O.D. steel pipe frames, portable.

| Hot-Dip Galvanized Frames (/G) | | | | | Powder Coated Frames -Black standard *(/CB) | | | | |
|--------------------------------|--------------|---------------------------------|---------------|------------|---|--------------|------------------------------------|---------------|------------|
| Model No. | Length (ft.) | Material | Weight (lbs.) | Price | Model No. | Length (ft.) | Material | Weight (lbs.) | Price |
| WUT/G-6UP | 6 | *Untreated Pine | 195 | \$328.00 | WUT/CB-6UP | 6 | *Untreated Pine | 195 | \$386.00 |
| WUT/G-8UP | 8 | | 235 | \$364.00 | WUT/CB-8UP | 8 | | 235 | \$422.00 |
| WUT/G-10UP | 10 | | 312 | \$472.00 | WUT/CB-10UP | 10 | | 312 | \$559.00 |
| WUT/G-12UP | 12 | | 353 | \$508.00 | WUT/CB-12UP | 12 | | 353 | \$595.00 |
| WUT/G-6TP | 6 | *Treated Pine | 195 | \$334.00 | WUT/CB-6TP | 6 | *Treated Pine | 195 | \$392.00 |
| WUT/G-8TP | 8 | | 235 | \$372.00 | WUT/CB-8TP | 8 | | 235 | \$430.00 |
| WUT/G-10TP | 10 | | 312 | \$482.00 | WUT/CB-10TP | 10 | | 312 | \$569.00 |
| WUT/G-12TP | 12 | | 353 | \$520.00 | WUT/CB-12TP | 12 | | 353 | \$607.00 |
| WUT/G-6AL | 6 | Clear Anodized Aluminum | 140 | \$519.00 | WUT/CB-6AL | 6 | Clear Anodized Aluminum | 140 | \$577.00 |
| WUT/G-8AL | 8 | | 161 | \$619.00 | WUT/CB-8AL | 8 | | 161 | \$677.00 |
| WUT/G-10AL | 10 | | 219 | \$791.00 | WUT/CB-10AL | 10 | | 219 | \$878.00 |
| WUT/G-12AL | 12 | | 242 | \$891.00 | WUT/CB-12AL | 12 | | 242 | \$978.00 |
| WUT/G-6AR | 6 | *Red Powder Coated Aluminum | 140 | \$542.00 | WUT/CB-6AR | 6 | *Red Powder Coated Aluminum Planks | 140 | \$600.00 |
| WUT/G-8AR | 8 | | 161 | \$649.00 | WUT/CB-8AR | 8 | | 161 | \$707.00 |
| WUT/G-10AR | 10 | | 219 | \$829.00 | WUT/CB-10AR | 10 | | 219 | \$916.00 |
| WUT/G-6PC | 6 | *Cedar colored Recycled Plastic | 279 | \$569.00 | WUT/CB-6PC | 6 | *Cedar colored Recycled Plastic | 279 | \$670.00 |
| WUT/G-8PC | 8 | | 345 | \$681.00 | WUT/CB-8PC | 8 | | 345 | \$782.00 |
| WUT/G-6VW | 6 | *Brown V-type Expanded Steel | 265 | \$806.00 | WUT/CB-6VW | 6 | *Brown V-type Expanded Steel | 265 | \$864.00 |
| WUT/G-8VW | 8 | | 335 | \$952.00 | WUT/CB-8VW | 8 | | 335 | \$1,010.00 |
| WUT/G-10VW | 10 | | 431 | \$1,237.00 | WUT/CB-10VW | 10 | | 431 | \$1,324.00 |
| WUT/G-6DW | 6 | *Brown D-type Expanded Steel | 222 | \$681.00 | WUT/CB-6DW | 6 | *Brown D-type Expanded Steel | 222 | \$739.00 |
| WUT/G-8DW | 8 | | 257 | \$769.00 | WUT/CB-8DW | 8 | | 257 | \$827.00 |
| WUT/G-10DW | 10 | | 343 | \$955.00 | WUT/CB-10DW | 10 | | 343 | \$1,042.00 |
| WUT/G-6HW | 6 | *Brown H-type Perforated Steel | 281 | \$813.00 | WUT/CB-6HW | 6 | *Brown H-type Perforated Steel | 281 | \$871.00 |
| WUT/G-8HW | 8 | | 342 | \$997.00 | WUT/CB-8HW | 8 | | 342 | \$1,055.00 |
| WUT/G-10HW | 10 | | 440 | \$1,346.00 | WUT/CB-10HW | 10 | | 440 | \$1,433.00 |
| WUT/G-6RW | 6 | *Brown R-type Perforated Steel | 237 | \$763.00 | WUT/CB-6RW | 6 | *Brown R-type Perforated Steel | 237 | \$821.00 |
| WUT/G-8RW | 8 | | 283 | \$815.00 | WUT/CB-8RW | 8 | | 283 | \$873.00 |
| WUT/G-10RW | 10 | | 347 | \$1,054.00 | WUT/CB-10RW | 10 | | 347 | \$1,141.00 |
| WUT/G-6SP/CR | 6 | *Red Cut Steel Plate | 228 | \$770.00 | WUT/CB-6SP/CR | 6 | *Red Cut Steel Plate | 228 | \$828.00 |
| WUT/G-8SP/CR | 8 | | 284 | \$926.00 | WUT/CB-8SP/CR | 8 | | 284 | \$984.00 |

WXT Series UNIVERSAL ACCESS TABLES are listed on page 2

*See Page 3 for optional Lumber species, material color options, and the character designators to specify those options in the Model Numbers.

RJThomas Mfg. Co., Inc.



UNIVERSAL ACCESS TABLE – WXT Series (Catalog Page 20)
 Patented wheelchair accessible table design with access at both ends and full length seats.
 2-3/8" O.D. steel pipe frames, portable.

| Hot-Dip Galvanized Frames (/G) | | | | | Powder Coated Frames –Black standard *(/CB) | | | | |
|--------------------------------|--------------|---------------------------------|---------------|------------|---|--------------|---------------------------------|---------------|------------|
| Model No. | Length (ft.) | Material | Weight (lbs.) | Price | Model No. | Length (ft.) | Material | Weight (lbs.) | Price |
| WXT/G-6UP | 6 | *Untreated Pine | 218 | \$368.00 | WXT/CB-6UP | 6 | *Untreated Pine | 218 | \$426.00 |
| WXT/G-8UP | 8 | | 258 | \$404.00 | WXT/CB-8UP | 8 | | 258 | \$462.00 |
| WXT/G-10UP | 10 | | 347 | \$535.00 | WXT/CB-10UP | 10 | | 347 | \$622.00 |
| WXT/G-12UP | 12 | | 388 | \$571.00 | WXT/CB-12UP | 12 | | 388 | \$658.00 |
| WXT/G-6TP | 6 | *Treated Pine | 218 | \$374.00 | WXT/CB-6TP | 6 | *Treated Pine | 218 | \$432.00 |
| WXT/G-8TP | 8 | | 258 | \$412.00 | WXT/CB-8TP | 8 | | 258 | \$470.00 |
| WXT/G-10TP | 10 | | 347 | \$545.00 | WXT/CB-10TP | 10 | | 347 | \$632.00 |
| WXT/G-12TP | 12 | | 388 | \$583.00 | WXT/CB-12TP | 12 | | 388 | \$670.00 |
| WXT/G-6AL | 6 | Clear Anodized Aluminum | 163 | \$559.00 | WXT/CB-6AL | 6 | Clear Anodized Aluminum | 163 | \$617.00 |
| WXT/G-8AL | 8 | | 184 | \$659.00 | WXT/CB-8AL | 8 | | 184 | \$717.00 |
| WXT/G-10AL | 10 | | 254 | \$854.00 | WXT/CB-10AL | 10 | | 254 | \$941.00 |
| WXT/G-12AL | 12 | | 277 | \$954.00 | WXT/CB-12AL | 12 | | 277 | \$1,041.00 |
| WXT/G-6AR | 6 | *Red Powder Coated Aluminum | 163 | \$582.00 | WXT/CB-6AR | 6 | *Red Powder Coated Aluminum | 163 | \$640.00 |
| WXT/G-8AR | 8 | | 184 | \$689.00 | WXT/CB-8AR | 8 | | 184 | \$747.00 |
| WXT/G-10AR | 10 | | 254 | \$892.00 | WXT/CB-10AR | 10 | | 254 | \$979.00 |
| WXT/G-6PC | 6 | *Cedar colored Recycled Plastic | 302 | \$609.00 | WXT/CB-6PC | 6 | *Cedar colored Recycled Plastic | 302 | \$710.00 |
| WXT/G-8PC | 8 | | 368 | \$721.00 | WXT/CB-8PC | 8 | | 368 | \$822.00 |
| WXT/G-6VW | 6 | *Brown V-type Expanded Steel | 288 | \$846.00 | WXT/CB-6VW | 6 | *Brown V-type Expanded Steel | 288 | \$904.00 |
| WXT/G-8VW | 8 | | 358 | \$992.00 | WXT/CB-8VW | 8 | | 358 | \$1,050.00 |
| WXT/G-10VW | 10 | | 466 | \$1,300.00 | WXT/CB-10VW | 10 | | 466 | \$1,387.00 |
| WXT/G-6DW | 6 | *Brown D-type Expanded Steel | 245 | \$721.00 | WXT/CB-6DW | 6 | *Brown D-type Expanded Steel | 245 | \$779.00 |
| WXT/G-8DW | 8 | | 280 | \$809.00 | WXT/CB-8DW | 8 | | 280 | \$867.00 |
| WXT/G-10DW | 10 | | 378 | \$1,018.00 | WXT/CB-10DW | 10 | | 378 | \$1,105.00 |
| WXT/G-6HW | 6 | *Brown H-type Perforated Steel | 304 | \$853.00 | WXT/CB-6HW | 6 | *Brown H-type Perforated Steel | 304 | \$911.00 |
| WXT/G-8HW | 8 | | 365 | \$1,037.00 | WXT/CB-8HW | 8 | | 365 | \$1,095.00 |
| WXT/G-10HW | 10 | | 475 | \$1,409.00 | WXT/CB-10HW | 10 | | 475 | \$1,496.00 |
| WXT/G-6RW | 6 | *Brown R-type Perforated Steel | 260 | \$803.00 | WXT/CB-6RW | 6 | *Brown R-type Perforated Steel | 260 | \$861.00 |
| WXT/G-8RW | 8 | | 306 | \$855.00 | WXT/CB-8RW | 8 | | 306 | \$913.00 |
| WXT/G-10RW | 10 | | 382 | \$1,117.00 | WXT/CB-10RW | 10 | | 382 | \$1,204.00 |
| WXT/G-6SP/CR | 6 | *Red Cut Steel Plate | 251 | \$810.00 | WXT/CB-6SP/CR | 6 | *Red Cut Steel Plate | 251 | \$868.00 |
| WXT/G-8SP/CR | 8 | | 307 | \$966.00 | WXT/CB-8SP/CR | 8 | | 307 | \$1,024.00 |

*See Page 3 for optional Lumber species, material color options, and the character designators to specify those options in the Model Numbers.

RJThomas Mfg. Co., Inc.

FINISH, MATERIAL, and COLOR OPTIONS (Catalog Pages 36 & 37)

| FINISH | Specifications | Product Availability | Model Number Designations |
|---|---|---|---|
| Hot-Dip Galvanized | Applied after fabrication and welding to ASTM-A123 specifications to maintain average zinc coating of 2.0 oz. per sq. ft. of surface area | Select bench and table frame components, lantern holders, trash receptacle holder components, bike racks, and two grill models. | Use "/G" in the model numbers. Example: XT/ G -6UP for Hot-Dip Galvanized XT Series table frames. |
| Powder Coat Finish | Baked on, lead-free TGIC polyester powder coat finish chemically bonded to metal substrate in 400 degree industrial oven to a 3-4 mil thick coating | Select bench and table Steel components, lantern holders, trash receptacle holder components, and bike racks. | For Steel Components use: "/CU" for Blue "/CB" for Black "/CN" for Green "/CW" for Brown "/CY" for Yellow "/CR" for Red "/CA" for Gray "/CE" for Burgundy Example: XT/ CU -6UP for XT table frames powder coated Blue. |
| | | Mill finish Aluminum Planks on select benches and tables | For Aluminum Planks use: "/AU" for Blue "/AB" for Black "/AN" for Green "/AW" for Brown "/AY" for Yellow "/AR" for Red "/AA" for Gray "/AE" for Burgundy Example: XT/ G -6 AR for Aluminum planks powder coated Red on XT table frames. |
| MATERIAL | Specifications | Product Availability | Model Number Designations |
| Untreated #1 Southern Yellow Pine | Kiln dried, precision drilled, and all exposed edges removed to 3/8" radius. | 2" x 10" planks for tables; 2" x 4", 3" x 4", or 2" x 10" for various benches; and 2" x 4" slats for trash receptacles holders. | Use "/UP" in the model numbers. Example: WUT/ G -6 UP for Untreated Pine on a WUT Series table. |
| Treated #1 Southern Yellow Pine | Pressure treated with wood preservative (no arsenic), kiln dried after treatment (KDAT), precision drilled, and all exposed edges removed to 3/8" radius. | 2" x 10" planks for tables; 2" x 4", 3" x 4", or 2" x 10" for various benches; and 2" x 4" slats for trash receptacles holders. | Use "/TP" in the model numbers. Example: PCXB/ G -6 TP 24 for Treated Pine on a CXB Series bench. |
| Construction Heart Redwood | Made from interior of American Redwood, precision drilled, and all exposed edges removed to 3/8" radius. | 3" x 4" timbers for WB, WRB, OWB, OWRB, Grey Creek, Spring Lake, and Riverview Series benches. Available when in stock on various other benches and tables - please inquire. Note: cedar, fir, and clear redwood available when in stock - please inquire. | Use "/CO" in the model numbers. Example: PWRB/ G -4 CO for Construction Heart Redwood on a WRB Series bench. |
| Exotic Imported Hardwoods | Species may vary depending on availability and cost. Currently using an Indonesian Balau Wood in 3" x 4" nominal dimension only. | 3" x 4" timbers for Grey Creek, Spring Lake, and Riverview Series benches. Available when in stock on WB, WRB, OWB, OWRB Series benches - please inquire. | Use "/IB" in the model numbers. Example: B30/ CN -4 IB 34 for Indonesian Balau Wood on a Grey Creek B30 Series bench. |
| Aluminum | Planks of 6063-T6 extruded Aluminum Alloy equivalent in size to 2" x 10" nominal sized lumber planks, with Clear Anodized finish to specification 204 R1. Optional Powder Coat finish available - see Finish section above. | Available on CXB, CB, AB, and APB Series benches; and on most rectangular and square tables as listed. | Use "/AL" in the model numbers. Example: SCB/ G -8 AL for Aluminum on a CB Series bench. For optional Powder Coat finish model number designations see Finish section above. Example: XT/ G -6 AR for Aluminum powder coated Red on an XT Series table. |
| MATERIAL | Specifications | Product Availability | Model Number Designations |
| Vinyl Coated Expanded Steel fabricated using 3/4" - #9 Expanded Steel | D-Type Expanded Steel: standard duty table top/seat design for most common public applications | Available on most rectangular tables and round tables (not available on SQT or PQT Series square tables) | Use: "/DB" for Black "/DU" for Blue "/DW" for Brown "/DA" for Gray "/DR" for Red "/DN" for Green Example: T214/ G -4 DU for T200 Series table with Blue Expanded Steel. |
| | V-Type Expanded Steel: designed with wider edge banding and more supports for heavier use and snow load applications | Available on select benches, and most rectangular tables and square tables | Use: "/VB" for Black "/VU" for Blue "/VW" for Brown "/VA" for Gray "/VR" for Red "/VN" for Green Example: PAB/ G -6 VW 10 for an AB Series bench with Brown Expanded Steel. |
| Vinyl Coated Perforated Steel fabricated using 14 ga. steel with 9/16" dia. holes | R-Type Perforated Steel: standard duty table top/seat design for most common public applications | Available on most rectangular tables and round tables (not available on SQT or PQT Series square tables) | Use: "/RB" for Black "/RU" for Blue "/RW" for Brown "/RA" for Gray "/RR" for Red "/RN" for Green Example: UT/ G -6 RA for UT Series table with Gray Perforated Steel. |
| | H-Type Perforated Steel: designed with wider edge banding and more supports for heavier use and snow load applications | Available on select benches, and most rectangular tables and square tables | Use: "/HB" for Black "/HU" for Blue "/HW" for Brown "/HA" for Gray "/HR" for Red "/HN" for Green Example: APB/ G -8 HR 12 for APB Series bench with Red Perforated Steel. |
| Cut Steel Plate | 10 ga. Steel sheet with pattern cut into table tops and seats; and bench flat and contour seats and backs. Powder Coat paint finish. | Available on WUT, WXT, WUTH, WXTH, UT, XT, and T600 rectangular tables; T Series round tables; and Gillette and Oak Knoll Series flat and contour benches | Use "/SP/◆" in the model numbers. Example: WXTH/ G -6 SP/◆ for WXTH Series table with Blue Perforated Steel. Replace "/◆" with the Powder Coat paint for Steel components color designations listed above in the Finish Section. |
| 100% Recycled Plastic | Molded into solid shapes corresponding to nominal lumber dimensions and other functional shapes. Solid color throughout and UV stabilizer for ultraviolet protection. | 2" x 10" planks for tables; 2" x 4", 2" x 6", 2" x 10", 3" x 4", or 4" x 4" for various benches; and 2" x 4" slats for trash receptacles holders. | Use: "/PR" for Red "/PY" for Yellow "/PB" for Black "/PU" for Blue "/PD" for Weathered Redwood "/PC" for Cedar "/PN" for Green "/PA" for Gray "/PW" for Brown "/PG" for Gold Example: XT/ CU -6 PU for XT Series table with Blue Recycled Plastic. |
| | | Recycled Plastic model number designation exceptions: For RB Series benches and RT Series tables, drop the "P" from the above designations. Examples: RBB/ Y -6 B 26 for an RBB Series Bench or RT/ W -6 C for an RT Series Table. For AT Series tables with Recycled Plastic drop the "P" from the above designations for the frame color after the "AT" but use the usual letters for the top and seat colors. Example: AT/ W -6 PN for an AT Series Table. | |